


EXCEL[®]
BEYOND BOUNDARIES



EXPLORE NEW SCOPES

300X300MM

DIGITAL VITRIFIED PARKING TILES

www.excelceramic.com

EXCELLENCE IN EVERY TILE

Innovation is a key to success and at Excel it has become almost a passion to translate innovative ideas into reality. Excel Ceramic tiles are developed to ultimate perfection and quality through state of the art machinery and hard work of motivated team having experienced technocrats which made it possible that beauty and quality finely blend together.

Since Quality is a costly affair, every care has been taken to ensure that each tile rolling out of the unit is perfect to the tiniest detail. Excel manufactures the world class flooring tiles, which combine durability with color, design with comfort in a way that is unique. Moreover each tile has perfectly straight, sharp edges which gives your floor an excellent look and extra strength to withstand wear & tear.

Excel tiles are highly durable, stain resistant maintenance – free and available in variety of colors and designs. However the sheer beauty, finish and feel of the floor will simply amaze you. That is what sets it a class apart. After all it is a product from the company that has climbed higher heights with its innovative approach and unmatched quality Products.





INDEX

300x300mm
Digital Glazed Vitrified Tiles | 01

300x300mm
Rock Series | 21

300x300mm
Full Body Vitrified Parking Tiles | 25

300x300mm
S & P Series | Step Series | 30





Urban White



Urban Beige



Urban Crema



Urban Coffee






Oxford Orange



Oxford Sand




Oxford Copper



Oxford Rust



Oxford Gris



Oxford Lux






Boston Beige



Boston Brown



Boston Cloud



Boston Grey



300x300mm
DIGITAL VITRIFIED PARKING TILES




Phoenix Beige



Phoenix Copper



Phoenix Natural



Phoenix Nero



Phoenix Sienna



Phoenix Brown





Pietra Brown



Pietra Grey




Pietra Sepia



Pietra Natural



Pietra Sand



Pietra Nero



300x300mm

DIGITAL VITRIFIED PARKING TILES



Ranger Lux



Ranger White



Ranger Gris



Ranger Grey



Ranger Crema




Ranger Art





Arbor Beige




Arbor Aqua



Arbor Crema



Arbor Brown




Arbor Green




Arbor Choco



Arbor Sand



Arbor Pearl



Arbor Gris



300x300mm

DIGITAL VITRIFIED PARKING TILES




Magic Mokka




Magic Neon



Magic Olive



Magic Salmon



Magic Wood





Stonito Beaver




Stonito Peach



Stonito Bronze



Stonito Grey



Stonito Nero




Onix Beige



Onix Sepia



Onix Tan



Onix Sand



Onix Sky



Onix Grey





300x300mm

DIGITAL VITRIFIED PARKING TILES



Venato Choco

■



Venato Olive

■



Venato Cotto


■



Trento Copper



Cosmo Brown



Cosmo Nero



Tropical Brown



Tropical Natural




Tropical Grey






300x300mm


DIGITAL VITRIFIED PARKING TILES



Check Blue



Check Coffee



Check Mate





Spectra Nero



Spectra Brown



Spectra Wenge



Spectra Biege






300x300mm

DIGITAL VITRIFIED PARKING TILES



Revlon Crema



Revlon Coffee



Revlon Brown



Revlon Grey



Revlon Gris



Rott White



Rott Grey



Rott Brown




Cemento Beige



Cemento Brown






Florida Beige



Florida Crema



Florida Gris



Florida Natural



Florida Pearl



Nexon Beige




Nexon Bronze




Nexon Choco



Nexon Sand




Nexon Gris



Nexon Nero






Oslo Gris



Oslo Pearl




Oslo Mocca



Oslo Ivory

300x300mm

DIGITAL VITRIFIED PARKING TILES



Spider Brown



Spider Choco



Spider Natural



Spider Olive






Rock Bianco



Rock Aqua



Rock Beige



Rock Graphite



Rock Olive




Rock Bronze




300x300mm

DIGITAL VITRIFIED PARKING TILES




Rock Pearl



Rock Verde




Rock Nero



Rock Oceano






Ventura White



Ventura Grey



Ventura Black



Ventura Blue




Ventura Green



Ventura Jesalmer

300x300mm


DIGITAL VITRIFIED PARKING TILES




Glims White




Glims Grey




Glims Black




Glims Blue



Glims Green




Glims Jesalmer



→ INTERIOR &
→ EXTERIOR TILES

PUNCH
RANDOM

FULL BODY VITRIFIED
PARKING TILES




Plain Ivory



Marvel Ivory




Matrix Ivory




Tab Ivory




Plain Terracotta



Marvel Terracotta




Matrix Terracotta




Tab Terracotta




300x300mm
DIGITAL VITRIFIED PARKING TILES






Capsule Ivory




Neo Ivory




Onix Ivory



Capsule Terracotta




Neo Terracotta




Onix Terracotta







Checkered Ivory



Ruff Ivory




Magic Ivory



Checkered Terracotta




Ruff Terracotta



Magic Terracotta







Waves Ivory




Revlon Ivory




Square Ivory



Waves Terracotta




Revlon Terracotta




Square Terracotta







Buttons Ivory




Stone Ivory




Tab Button Ivory



Buttons Terracotta



Stone Terracotta



Tab Button Terracotta







S & P Ivory



Glims Ivory



Refine Ivory




S & P Terracotta



Glims Terracotta



Refine Terracotta





Step Rott White





Step Rott Grey





Step Rott Brown



STEP SERIES




Step Ivory





Step Terracotta





TECHNICAL SPECIFICATION

Sr. No.	Pictogram	Property	International Std. ISO 13006/EN 176 Group Bla	Mean Value Of Excel	Method of Testing
01		Deviation in Length	+/-0.6%	+/-0.3%	ISO 10545 Pt 2
02		Deviation in Thickness	+/-5%	+/- 3%	ISO 10545 Pt 2
03		Straightness of Sides	+/-0.5%	+/-0.2%	ISO 10545 Pt 2
04		Rectangularity	+/-0.6%	+/-0.2%	ISO 10545 Pt 2
05		Surface flatness	+/-0.5%	+/-0.2%	ISO 10545 Pt 2
06		Water Absorption	<0.5%	<0.05%	ISO 10545 Pt 3
07		Mohs Harsdness	>6	>8	En 101
08		Flexural Strength	>35 N/mm ³	>45 N / mm ³	ISO 10545 Pt 4
09		Abrasion Resistance	<175 mm ³	<144 / mm ³	ISO 10545 Pt 6
10		Skid resistance(Friction co efficient)	>0.4	>0.4	ISO 10545 Pt 17
11		Breaking Strength	1113 N	> 2000 N	ISO 10545 Pt 4
12		Density / (g/cc)	>2.0	> 2.4	ISO 10545 Pt 3
13		Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt 12
14		Chemical Resistance	No damage	No damage	ISO 10545 Pt 13
15		Thermal Shock Resistance	No damage	No damage	ISO 10545 Pt 9
16		Colour Resistance	No damage	No damage	DIN 51094
17		Thermal Expansion	<9 x 10 ⁻⁶	<6 x 10 ⁻⁶ K ⁻¹	ISO 10545 Pt 8
18		Stain Resistance	Resistant	Resistant	ISO 10545 Pt 14
19		Moisture Expansion	Nil	Nil	ISO 10545 Pt 10
20		Resistance to Surface Abrasion (of tiles intended for use on Floors)	Abrasion class shall be specified by the manufacturer	PEI Group V	ISO 10545 -7 IS : 13630-11

PACKING DETAILS

Sr. No.	Size	Series	Nominal Thickness	Number of Tiles	Coverage Area	Weight
01	300 x 300 mm	Digital	10 mm (Approx.)	8 Pieces / Box	0.72 Sq. Mtr.	15 Kg. (Approx.)
02	300 x 300 mm	Rock	10 mm (Approx.)	10 Pieces / Box	0.90 Sq. Mtr.	19 Kg. (Approx.)
03	300 x 300 mm	Full Body	10 mm (Approx.)	10 Pieces / Box	0.90 Sq. Mtr.	19 Kg. (Approx.)

Note : Colours Shown are as accurate as the limitations of the Printing Process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

ideal for :



CIN : U26920GJ2000PTC 037475

CE An Iso 9001:2008
Certified Company

IS 15622

CM/L-
7600119911



GROUP COMPANY...

GYPLIME
GYPSUM BOARDS

EXCEL
BEYOND BOUNDARIES

EXCEL CERAMIC PVT. LTD.

📍 Morbi-Wankaner Highway,
At. Makansar-363 642. (Guj.) INDIA.

☎ +91 98797 76076

✉ info@excelceramic.com

🌐 www.excelceramic.com

EXPORT :-

☎ +91 95126 20000

✉ chirag@excelceramic.com

DOMESTIC :-

☎ +91 99258 20000

✉ rishi@excelceramic.com

Follow us on:

